




The State of New Hampshire  
**Department of Environmental Services**



Michael P. Nolin  
Commissioner

August 25, 2005  
**Letter of Closure**  
**For**  
**Letter of Deficiency**

Ms. Adrienne Coit, Clerk  
Sawyer Lake Village District  
RFD #6, Box SL-47  
Gilmanton, NH 03237

RE: Sawyer Lake Dam#091.01 in Gilmanton  
Letter of Deficiency (LOD) DAM #091.01  
Issued on February 14, 2001


Dear Ms. Coit:

Based on a file review and a scheduled inspection conducted on April 25, 2005 of the above referenced dam, the Department of Environmental Services has determined that the referenced LOD will be closed out. Enclosed is a new LOD (#05-016) which supercedes the previous LOD which is now closed.

The closure of the previous LOD does not necessarily reflect compliance with the terms contained therein.

If you have any questions or comments, please contact me at 603-271-3406 or write to the Water Division at the address listed below.

Sincerely,

  
Grace E. Levergood, P.E.  
Dam Safety Engineer

Enclosure: Copy of February 14, 2001 LOD  
cc: Gretchen R. Hamel, Legal Unit Administrator ✓  
Town of Gilmanton  
JMB/h:/safety/wendy/lo/09101closltr.doc